

## HONDA REBEL CMX 300-500 '17- / S' 20-

### M O U N T I N G I N S T R U C T I O N S

REF 21059

SEMIFAIRING BATWING SML SPORT MODEL



1 Person



20 min



EASY



**ONLY FOR REBEL "S":** ANTES DE INSTALAR EL PRODUCTO, DESMONTAR EL SEMI-FARO ORIGINAL  
BEFORE INSTALLING THE PRODUCT, TAKE APART THE OEM SEMI-FAIRING



ALLEN

Nº 3  
Nº 6  
Nº 8




| ID | PIEZA/PART | DESCRIPCIÓN                       | DESCRIPTION                    | QTY | REF             |
|----|------------|-----------------------------------|--------------------------------|-----|-----------------|
| 1  |            | Semicarenado                      | Semifairing                    | 1   | 10897N          |
| 2  |            | Cúpula Touring                    | Touring screen                 | 1   | 10899           |
| 3  |            | Soporte derecho superior (SR)     | Upper right support            | 1   | SOP4P3SRBTM0002 |
| 4  |            | Soporte superior izquierdo (SL)   | Upper left support             | 1   | SOP4P3SLBTM0002 |
| 5  |            | Soporte inferior derecho (IR)     | Lower right support            | 1   | SOP4P3IRBTM0002 |
| 6  |            | Soporte inferior izquierdo (IL)   | Lower left support             | 1   | SOP4P3ILBTM0002 |
| 7  |            | Arandela de goma Ø4,5 x Ø11 x 2mm | Ø4,5 x Ø11 x 2mm rubber washer | 2   | ARAND-EPDM--722 |
| 8  |            | Tornillo Allen M8x45 ISO 7380     | M8x45 ISO 7380 Allen screw     | 2   | TORNI-I7380-817 |
| 9  |            | Casquillo Ø8x Ø14x 9              | Ø8x Ø14x 9 spacer              | 2   | CASQUI-----0100 |
| 10 |            | Silentblock M5                    | M5 silentblock                 | 4   | SILENBTM5-046/1 |
| 11 |            | Arandela nylon M5x1               | M5x1 nylon washer              | 4   | ARNV00000000245 |
| 12 |            | Tornillo Allen M5x16 Ø11 ISO 7380 | M5x16 Ø11 ISO 7380 Allen screw | 6   | TORNI-I7380-493 |
| 13 |            | Tapón tornillo M5 ISO 7380        | M5 ISO 7380 screw cap          | 4   | TAPON-----85    |
| 14 |            | Tornillo Allen M4x12 ISO7380      | M4x12 ISO 7380 Allen screw     | 3   | TORNI-I7380-800 |
| 15 |            | Arandela nylon M4x0,5             | M4x0,5 nylon washer            | 6   | ARNV00000000311 |
| 16 |            | Tuerca autoblocante M4            | M4 nut                         | 3   | TUERCAE985-0290 |
| 17 |            | Tapón tuerca M4                   | M4 cap nut                     | 3   | TAPON-----91    |

## HONDA REBEL CMX 300-500 '17- / S' 20-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG


1

DISASSEMBLY  
DESMONTAJE




2

ASSEMBLY  
MONTAJE




3

DISASSEMBLY  
DESMONTAJE



4

ASSEMBLY  
MONTAJE




ID-12 NO APRETAR  
DO NOT TIGHTEN

## HONDA REBEL CMX 300-500 '17- / S' 20-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG


5

DISASSEMBLY  
DESMONTAJE




6

ASSEMBLY  
MONTAJE




7

DISASSEMBLY  
DESMONTAJE



8

ASSEMBLY  
MONTAJE




ID-12 NO APRETAR  
DO NOT TIGHTEN

## HONDA REBEL CMX 300-500 '17- / S' 20-

INSTRUCCIONES DE MONTAJE - MOUNTING INSTRUCTIONS - MONTAGEANLEITUNG


9

ASSEMBLY  
MONTAJE




10

ASSEMBLY  
MONTAJE



11

ASSEMBLY  
MONTAJE



**ID-12** AJUSTAR POSICIÓN SOPORTES Y APRETAR EL TORNILLO.  
ADJUST POSITION SUPPORTS AND TIGHTEN ID-12 SCREW.